




PART	Status	Rev./Iter
GFA-COT-62-XX-XX_NOIP	In Work	0,0
Drawing	Status	Rev./Iter
GFA-COT-62-XX-XX_NOIP		0,0






Input size	Square 3/8"
Gear stages	2
Theoretical efficiency	0.85
Gear ratio	1.18
Max output torque	51.00 Nm
Max input torque	50.80 Nm
Approximate weight	0.45 kg
Max hex output size A/F	17 mm

**SALTUS**

Name	GFA-COT-B-62-16-17-2
Designation	3512190182



PART	Status	Rev./Iter
GFA-COT-62-XX-XX_NOIP	In Work	0,0
Drawing	Status	Rev./Iter
GFA-COT-62-XX-XX_NOIP		0,0






Input size	Square 3/8"
Gear stages	4
Theoretical efficiency	0.75
Gear ratio	1.18
Max output torque	51.00 Nm
Max input torque	57.60 Nm
Approximate weight	0.63 kg
Max hex output size A/F	17 mm

proprietary document. Not to be used in any way without our consent.

**SALTUS**

Name	GFA-COT-B-62-16-17-4
Designation	3512190184

PART	Status	Rev./Iter
GFA-COT-62-XX-XX_NOIP	In Work	0,0
Drawing	Status	Rev./Iter
GFA-COT-62-XX-XX_NOIP		0,0






Input size	Square 3/8"
Gear stages	6
Theoretical efficiency	0.68
Gear ratio	1.18
Max output torque	44.00 Nm
Max input torque	54.80 Nm
Approximate weight	0.82 kg
Max hex output size A/F	17 mm

proprietary document. Not to be used in any way without our consent.

**SALTUS**

Name	GFA-COT-B-62-16-17-6
Designation	3512190186

PART	Status	Rev./Iter
GFA-COT-62-XX-XX-NDIP	In Work	0.0
Drawing	Status	Rev./Iter
GFA-COT-62-XX-XX-NDIP		0.0






Input size	Square 1/2"
Gear stages	2
Theoretical efficiency	0.85
Gear ratio	1.18
Max output torque	51.00 Nm
Max input torque	50.80 Nm
Approximate weight	0.52 kg
Max hex output size A/F	17 mm

**SALTUS**

Name	GFA-COT-C-62-16-17-2
Designation	3512190282

PART	Status	Rev./Iter
GFA-COT-62-XX-XX_NOIP	In Work	0,0
Drawing	Status	Rev./Iter
GFA-COT-62-XX-XX_NOIP		0,0






Input size	Square 1/2"
Gear stages	3
Theoretical efficiency	0.80
Gear ratio	1.18
Max output torque	51.00 Nm
Max input torque	54.00 Nm
Approximate weight	0.62 kg
Max hex output size A/F	17 mm

<b>SALTUS</b>	Name	GFA-COT-C-62-16-17-3
	Designation	3512190283

proprietary document. Not to be used in any way without our consent.

PART	Status	Rev./Iter
GFA-COT-62-XX-XX_NOIP	In Work	0,0
Drawing	Status	Rev./Iter
GFA-COT-62-XX-XX_NOIP		0,0






Input size	Square 1/2"
Gear stages	4
Theoretical efficiency	0.75
Gear ratio	1.18
Max output torque	51.00 Nm
Max input torque	57.60 Nm
Approximate weight	0.71 kg
Max hex output size A/F	17 mm

proprietary document. Not to be used in any way without our consent.

<b>SALTUS</b>	Name	GFA-COT-C-62-16-17-4
	Designation	3512190284

PART	Status	Rev./Iter
GFA-COT-62-XX-XX-NDIP	In Work	0,0
Drawing	Status	Rev./Iter
GFA-COT-62-XX-XX-NDIP		0,0



Input size	Square 1/2"
Gear stages	6
Theoretical efficiency	0.68
Gear ratio	1.18
Max output torque	44.00 Nm
Max input torque	54.80 Nm
Approximate weight	0.9 kg
Max hex output size A/F	17 mm

proprietary document. Not to be used in any way without our consent.

**SALTUS**

Name	GFA-COT-C-62-16-17-6
Designation	3512190286