





PART	GFA-00T-25-NDIP	Status	In Work	Rev./Iter	0.9
Drawing	GFA-00T-25-NDIP	Status		Rev./Iter	0.6







Input size	Square 3/8"
Gear stages	3
Input gear rotational direction	CCW
Theoretical efficiency	0.77
Gear ratio	1.00
Max output torque	18.00 Nm
Max input torque	23.38 Nm
Approximate weight	0.29 kg
Max hex output size A/F	14 mm

proprietary document. Not to be used in any way without our consent.

SALTUS

Name	GFA-00T-B-25-12-11-3
Designation	3512140081

PART	GFA-00T-25-NDIP	Status	In Work	Rev./Iter	0.9
Drawing	GFA-00T-25-NDIP	Status		Rev./Iter	0.6







Input size	Square 3/8"
Gear stages	2
Input gear rotational direction	CW
Theoretical efficiency	0.82
Gear ratio	1.00
Max output torque	18.00 Nm
Max input torque	21.95 Nm
Approximate weight	0.22 kg
Max hex output size A/F	14 mm

proprietary document. Not to be used in any way without our consent.

SALTUS	Name	GFA-00T-B-25-12-11-2
	Designation	3512140083

PART	GFA-00T-25-NDIP	Status	In Work	Rev./Iter	0.9
Drawing	GFA-00T-25-NDIP	Status		Rev./Iter	0.6







Input size	Square 3/8"
Gear stages	3
Input gear rotational direction	CW
Theoretical efficiency	0.77
Gear ratio	1.00
Max output torque	18.00 Nm
Max input torque	23.38 Nm
Approximate weight	0.29 kg
Max hex output size A/F	14 mm

proprietary document. Not to be used in any way without our consent.

SALTUS	Name	GFA-00T-B-25-12-11-3
	Designation	3512140084

PART	GFA-00T-25-NDIP	Status	In Work	Rev./Iter	0.9
Drawing	GFA-00T-25-NDIP	Status		Rev./Iter	0.6



Input size	Square 3/8"
Gear stages	2
Input gear rotational direction	CCW
Theoretical efficiency	0.82
Gear ratio	1.00
Max output torque	18.00 Nm
Max input torque	21.95 Nm
Approximate weight	0.22 kg
Max hex output size A/F	14 mm

proprietary document. Not to be used in any way without our consent.

SALTUS	Name	GFA-00T-B-25-12-11-2
	Designation	3512140085