

# Flange spreaders

ACMS08T Mechanical spreading wedge

#### **ACMS08T Features**

Portable and lightweight

360 degree rotation handle design

No finger pinching points

Rugged carbon steel construction



8434205805 Tool weight: 6.80 kg

# **Capabilities**

8T spreading force from 180Nm (133ft.lb) of torque

Spreads: 6.0mm – 63.7mm (0.24" - 2.5") (without stepped blocks)

Spreads: 60.0mm – 86.7mm (2.4" - 3.4") (with stepped blocks)

(0.24" - 1.28") spread using only 1st step

#### Kit contents

- 1 x ACMS08T Wedgehead
- 1 x 203 N m (150 ft lb) torque wrench with 22 mm socket
- 1 x safety block
- · 2 x step blocks
- 2 x screws for step block
- 1 x lanyard
- 1 x allen key
- 1 x instruction manual
- 1 x polycarbonate packaging



# Flange spreaders

ACHS14T Hydraulic spreading wedge



8434205806 Tool weight: 8 kg

## **Capabilities**

14T spread force from 10,000psi (700 Bar) hydraulic pressure

Spreads: 6.0mm – 63.7mm (0.24" - 2.5") (without stepped blocks)

Spreads: 60.0mm – 86.7mm (2.4" - 3.4") (with stepped blocks)

## Kit contents

- 1 x ACHS14T Wedgehead c/w hydraulic cylinder
- 1 x lanyard
- 1 x allen key
- 1 x safety block
- 2 x step block
- 2 x screws for step blocks
- 1 x instruction manual
- 1 x polycarbonate carrying case

# **Atlas Copco bolting solutions**



8434205805



8434205806




8434205804



8434205807

Part No.	Product	DescriptionARP (Euro)
8434205804	Hydraulic pump	ACMP700 manual
8434205805	Flange spreader	ACMS08T mechanical
8434205806	Flange spreader	ACHS14T hydraulic
8434205807	Hose kit	Single line 700 bar 4mtr



# Manual pumps ACMP700

#### **ACMP700 Features**

Lightweight and easy to handle

Sealed bladder

Can be used at any angle and orientation

Highly resistant to oil leakage


ACMP700

Overall length: 554.0mm (21.81") Handle length: 360.0mm (14.17") Pump weight: 4.0 kg (8.8lb)



# Complete set

Two way manifold available to connect two spreaders with one pump. Contact sales.



Committed to sustainable productivity



