

Lubrication
free motor

High
productivity

1.8 kW / 2.4 hp
motor



Ergonomic
design

Good
operator
comfort

Dust
extraction

Clean
workspace



All the power you need
to cut through the
material with ease and
increase the productivity

Model	Max free speed (r/min)	Max cutter blade dia (mm)	Max cutter blade dia (in)	Max output kW (hp)	Weight kg (lb)	Air consumption at free speed l/s (cfm)	Air inlet thread BSP (NPT)	Rec. hose size mm (in)	Dust extraction hood	Ordering Number
LCS39 S150D	15000	100	4	1.8 (2.4)	1.8 (4)	17.6 (37)	3/8 (3/8)	13 (1/2)	• ^a	8424112507

^aSuction requirement: 200 m³/h (118 cfm)

Accessories

Application	Max thickness of material (mm)	No. of teeth (mm)	Dia (mm)	Hole (mm)	Ordering Number
Diamond disc for fiber glass	18.0	44/60 (Grain)	75	12	3780 5073 00
Diamond disc for fiber glass	25.0	44/60 (Grain)	100	12	3780 5074 00
Suction hose set (L= 150 mm)	-	-	-	-	3780 2724 31



Atlas Copco AB

(publ) SE-105 23 Stockholm, Sweden

Phone: +46 8 743 80 00, Reg. no: 556014-2720

atlascopco.com

