

The Atlas Copco logo is displayed in white italicized text within a blue rectangular box, positioned in the upper right corner of the page.

PRO Riveting Tools Pop and Nut

R1005 - R1006 - R2012

BENEFITS OF RIVETING



Less financial, technical risk

Single fastening component

Fastening with one sided access

Semipermanent fastening

Vibration resistant fastening

Joins different materials



EXAMPLES OF APPLICATIONS

- ▶ White goods industries
- ▶ Automotive, trailers, trucks
- ▶ Lighting, advertising panels
- ▶ Elevator, escalator
- ▶ Heating pumps, cooling system
- ▶ Ventilation ducts
- ▶ Ladders and scaffolding
- ▶ Railway transportation
- ▶ Panel builder, industrial furniture
- ▶ Solar panels installations

OUR SOLUTION TO RIVETING

Well balanced designed for best ergonomics and to minimize vibrations and noise.

Reliable tools with hardened steel pulling mechanism for endurance and a plastic body designed for better grip and lower weight.

Easy tool setup with clear steps.

Simple maintenance procedure.



POP RIVETING TOOLS



R1005



R1006

Part No.	Item name	Pulling force	Max rivets (D)	Max mandrel (dm)	Stroke range	Weight	Air consumption /Rivet
8426100500	R1005	11000N	5mm	3.2mm	18mm	1.6 Kg	2.3 Liter
8426100600	R1006	18000N	6.4mm	4.5mm	25mm	1.9 Kg	4.8 Liter

NUT RIVETING TOOLS



R2012

Part No.	Item name	Pulling force	Max rivets (D)	Stroke range	Weight	Air consumption / Rivet
8426201200	R2012	22000N	12mm*	10mm	2.4 Kg	4 Liter

*Max thread 12mm for aluminium and steel. For stainless and hardened materials up to 10mm

POP RIVETING consumables

Name	Long rivet range mm	Drill bit mm	Suitable nosepiece	D mm	L mm	No. rivets/ box	Material	Shear force N	Tensile force N	Ordering No.	Suitable tool
LR-AS 3.2X8.0	0.5 - 5.0	3.3	17/24	3.2	8.0	1000 pcs	Alu/Steel	720	1050	3520 0610 00	R1005/R1006
LR-AS 3.2X9.5	1.5 - 6.0	3.3	17/24	3.2	9.5	1000 pcs	Alu/Steel	720	1050	3520 0610 01	R1005/R1006
LR-AS 3.2X11.0	3.0 - 8.0	3.3	17/24	3.2	11.0	1000 pcs	Alu/Steel	720	1050	3520 0610 02	R1005/R1006
LR-AS 4.0X10.0	0.5 - 6.5	4.1	17/27	4.0	10.0	500 pcs	Alu/Steel	1060	1680	3520 0610 03	R1005/R1006
LR-AS 4.0X13.0	3.5 - 9.5	4.1	17/27	4.0	13.0	500 pcs	Alu/Steel	1060	1680	3520 0610 04	R1005/R1006
LR-AS 4.0X17.0	7.0 - 13.0	4.1	17/27	4.0	17.0	500 pcs	Alu/Steel	1060	1680	3520 0610 05	R1005/R1006
LR-AS 4.8X10.0	0.5 - 6.5	4.9	17/29	4.8	10.0	500 pcs	Alu/Steel	1500	2300	3520 0610 06	R1005/R1006
LR-AS 4.8X15.0	4.5 - 11.0	4.9	17/29	4.8	15.0	500 pcs	Alu/Steel	1500	2300	3520 0610 07	R1005/R1006
LR-AS 4.8X17.0	6.5 - 13.0	4.9	17/29	4.8	17.0	500 pcs	Alu/Steel	1500	2300	3520 0610 08	R1005/R1006
LR-AS 4.8X25.0	11.0 - 15.5	4.9	17/29	4.8	25.0	250 pcs	Alu/Steel	1500	2300	3520 0610 09	R1005/R1006
LR-AS 6.5X15.0	1.5 - 9.0	6.5	17/40	6.4	15.0	250 pcs	Alu/Steel	2800	4000	3520 0610 10	Only R1006
LR-AS 6.5X20.0	6.0 - 14.0	6.5	17/40	6.4	20.0	250 pcs	Alu/Steel	2800	4000	3520 0610 11	Only R1006




All the information is available on the rivets box

NUT RIVETING consumables

Name	Long rivet range mm	Drill bit mm	Nosepiece	D mm	L mm	No. rivets/ box	Material	Ordering No.	Force Adjustment
LN-A M5x7x13.5	0.25 - 5.00	7.1	M6	7.0	13.5	500 pcs	Aluminum	3520 0610 12	Green
LN-A M6x9x18.0	0.25 - 6.00	9.1	M6	9.0	18.0	250 pcs	Aluminum	3520 0610 13	Green
LN-A M8x11x20.0	0.50 - 6.50	11.1	M8	11.0	20.0	100 pcs	Aluminum	3520 0610 14	Yellow
LN-A M5x7x13.5	0.25 - 5.00	7.1	M5	7.0	13.5	500 pcs	Steel	3520 0610 15	Yellow
LN-A M6x9x18.0	0.25 - 6.00	9.1	M6	9.0	18.0	250 pcs	Steel	3520 0610 16	Red
LN-A M8x11x20.0	0.50 - 6.50	11.1	M8	11.0	20.0	100 pcs	Steel	3520 0610 17	Red

All the information is available on the rivets box

Scan the codes and discover more!



Atlas Copco AB
 (publ) SE-105 23 Stockholm, Sweden
 Phone: +46 8 743 80 00
 Reg. no: 556014-2720
 atlascopco.com